

5

4

3


2

1

DWG NO. RM-1813V39-NL

RoHS COMPLIANT

REV	ECO NO.	DATE	BY	APP'D
A	REL TO PRODUCTION PER ECO 001	12/14/06	KL	

Tolerance  $\pm 0.3\text{mm}$ 

UNIT: mm

## SPECIFICATION:

Rated Impedance	8 Ohms $\pm 15\%$
Rated Power	0.7W Max. 1W
Resonant Frequency	1000Hz $\pm 20\%$
Effective Freq. Range	600~20K Hz
SPL (at 0.5w, 0.1m)	93 $\pm 3$ dB
Operating Temperature	-20°C~+70°C
Storage Temperature	-20°C~+70°C

CONFIDENTIAL

© Copyright 2006 Regal Electronics, Inc. This drawing is the property of Regal Electronics and contains confidential information, trade secret information and/or know-how which is the property of Regal Electronics. By accepting this drawing, the recipient agrees not to provide, or otherwise make available, the drawing or any information or know-how embodied therein, to any third party without prior written authorization.

DRAWN: KIM	DATE 12/14/06	TITLE: HIGH POWER MINIATURE SPEAKER OVAL	
CHECKED:	DATE		
ENGINEER:	DATE		
APPROVED:	DATE		
APPROVED:	DATE	SIZE B	DRAWING NO. RM-1813V39-NL
APPROVED:	DATE	SCALE: NONE	REV A
		SHEET 1 OF 1	

5

4

3

2

1

C-RM-1813V39-NL